WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, October 26, 2004

h

e b

b cg b

Hide?	Set Name	Query	Hit Count
	DB=EPAB;	PLUR=YES; OP=OR	
	L28	WO-8601410-A.did.	0
	DB=USPT;	PLUR=YES; OP=OR	
	L27	US-4741900-A.did.	1
	DB=PGPB,	USPT, USOC, EPAB, JPAB, DWPI; PLUR=	YES; OP=OR
	L26	L23 and electrode	11
	L25	L23 and voltage	9
	L24	L23 and immobilizing	5
	L23	metal-antibody cojugate	72
	DB=PGPB,	USPT; PLUR=YES; OP=OR	
	L22	115 and spot	12
	L21	115 and voltage	8
	L20	marzo	249
	L19	marzochi	6
	L18	L15 and 17	2
	L17	L15 and 18	2
	L16	L15 and electrode	10
	L15	metal-antibody cojugate	61
	L14	metal-antibody and cojugate	0
	L13	metal-antibody	2
	L12	L11 and cojugate	1
	L11	L10 and antibody	184
	L10	L8 and metal	213
	L9	L8 and electrode	44
	L8	L7 and toni	725
	L7	scheiner	4192
	DB=PGPB,	USPT, USOC, EPAB, JPAB, DWPI; PLUR=	YES; OP=OR
	L6	scheiner	4442
	L5	L4 and mrzochi	0
	L4	toni scheiner	9622
	L3	mrzochi	0
匚	L2	mrzochi	0

chh e h

f c

h h

First Hit Previous Doc Next Doc Go to Doc#

Generate Collection Print

L23: Entry 70 of 72

File: DWPI

Mar 5, 1986

DERWENT-ACC-NO: 1986-063444

DERWENT-WEEK: 198610

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: New <u>metal-antibody</u> complexes - formed from covalent conjugate of antibody and chelatin agent

TAULENMOD.

INVENTOR: ALVAREZ, V L; GOERS, J W F; LEE, C; MCKEARN, T J; RODWELL, J D; SIEGEL, R C; GOERS, J W

PATENT-ASSIGNEE:

ASSIGNEE

CODE

CYTOGEN CORP

CYTON

Search ALL Clear

PRIORITY-DATA: 1984US-0646328 (August 31, 1984), 1982US-0356315 (March 9, 1982), 1982US-04420 (November 16, 1982), 1984US-0646327 (August 31, 1984)

			Mark Mark Mark Mark Mark Mark Mark Mark		
PATE	NT-FAMILY:				
	PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
	EP 173629 A	March 5, 1986	E	063	
	AU 8547701 A	March 24, 1986		000	
	CA 1260827 A	September 26, 1989		000	
	DE 3586188 G	July 16, 1992		000	G01N033/534
	DK 8601951 A	April 29, 1986		000	
	EP 173629 B1	June 10, 1992	E	030	G01N033/534
	JP 06234800 A	August 23, 1994		018	C07K015/22
	JP 62500119 W	January 16, 1987		000	
	JP 94051720 B2	July 6, 1994		017	C07K015/12
	JP 95033399 B2	April 12, 1995		017	C07K016/00
	US 4741900 A	May 3, 1988		000	
	WO 8601410 A	March 13, 1986	E	000	
	ZA 8506358 A	February 21, 1987		000	

Search Selected

DESIGNATED-STATES: AT BE CH DE FR GB IT LI LU NL SE AT BE CH DE FR GB IT LI LU NL SE AU DK JP CITED-DOCUMENTS:3.Jnl.Ref; DE 3239410 ; 2.Jnl.Ref ; US 4367309 ; US 4454106 ; US 4472509

Δ	DDI	TCA	TION	ימח – ו	гΔ.
м	r_{L}	エしゅ	LLLUN	ו אט דו	I A :

PUI	3-NO	APPL-DATE		APPL-NO	DESCRIPTOR
EP	173629A	August 29,	1985	1985EP-0401695	
DE	3586188G	August 29,	1985	1985DE-3586188	
DE	3586188G	August 29,	1985	1985EP-0401695	
DE	3586188G			EP 173629	Based on
ĒΡ	173629B1	August 29,	1985	1985EP-0401695	
JP	06234800A	August 19,	1985	1985JP-0503820	Div ex
JP	06234800A	August 19,	1985	1993JP-0202208	
JP	62500119W	August 19,	1985	1985JP-0503820	
JP	94051720B2	August 19,	1985	1985JP-0503820	
JP	94051720B2	August 19,	1985	1985WO-US01556	
JP	94051720B2			JP 62500119	Based on
JP	94051720B2			WO 8601410	Based on
JP	95033399B2	August 19,	1985	1985JP-0503820	Div ex
JP	95033399B2	August 19,	1985	1993JP-0202208	
JP	95033399B2			JP 6234800	Based on
US	4741900A	August 31,	1984	1984US-0646328	
WO	8601410A	August 19,	1985	1985WO-US01556	
ZA	8506358A	August 21,	1985	1985ZA-0006358	

INT-CL (IPC): A23J 7/00; A61K 37/00; A61K 39/39; A61K 39/395; A61K 43/00; A61K 49/02; A61K 51/00; C07K 13/00; C07K 15/00; C07K 15/12; C07K 15/22; C07K 16/00; C12N 9/96; C12N 11/02; C1 1/58; G01N 33/53; G01N 33/534; G01N 33/577

RELATED-ACC-NO: 1983-766506;1986-083350 ;1987-334880 ;1988-347928

ABSTRACTED-PUB-NO: DE 3382572G

BASIC-ABSTRACT:

New metal complexes (I) comprises a metal ion co-ordination-bonded to a chelating agent in a novel conjugate (II) in which the chelating agent (III) is covalently bonded to an antibody o antibody fragment without affecting its immunoreactivity or immunospecificity, the covalent bond being located outside the antigen-binding region of the antibody or fragment.

USE - (I) are useful for delivering metal ions to target sites in vivo or in vitro, e.g. in immunoassays, for scintigraphic imaging of body tissues for tumour therapy. ABSTRACTED-PUB-NO:

EP 88695B

EQUIVALENT-ABSTRACTS:

Prepn. of an antibody conjugate comprises (1) exposure of the antibody or its fragment direct against an antigenic site to an oxidising agent to form aldehyde gps. in the carbohydrate moiety of the antibody or its fragment; (2) reaction of the aldehyde gps. with a hydrazine, hydrazide or amine gp. of a cpd. to form the conjugate.

Antibody conjugate comprising a cpd. attached through a covalent bond to a carbohydrate moiet of an antibody, the conjugate retaining the immunoreactivity and immunospecificity of the antibody, is new.

Prepn. of a modified antibody comprises (1) binding of the antibody or its fragment to a seco

antibody directed against the Fab portion of the antibody or fragment to form an immune complex; (2) attachment of a peptide linker, amino acid linker or linker of formula (I) W-(CH n-Q to the unbound portion of the antibody or its fragment, (W is -NHCH2 or -CH2; Q is an aminoacid, peptide, chelator or chelator deriv.; and n is 0-20). Then (3) dissociation of the immune complex is used to release the modified antibody from the second antibody; and (4) sep of the 2 antibodies. This procedure may be modified, e.g. an initial redn. may be used to giv an antibody or Fab' fragment haVing Sh gps.

The antibody conjugates are useful in affinity purification procedures and sepns.; they are also useful in the usual diagnostic procedures and as carriers for therapeutic agents or for tumour imaging agents. With the substrate linker attached, the antibodies retain the ability bind antigen and activate

A soluble antibody conjugate for a medical use comprising: a water-soluble therapeutic or diagnostic compound containing an amine group selected from the group consisting of secondary amine, hydrazine, hydrazide, hydroxylamine, phenylhydrazine and semicarbazide, attached throu a covalent bond to an aldehyde group of an oxidized carbohydrate moiety of an antibody or antibody fragment said covalent bond between said amine group and said aldehyde group being a enamine, hydrazone, oxime, phenylhydrazone, semicarbazone or a reduced form thereof, and said soluble antibody conjugate having (i) substantially the same immunoreactivity and immunospecificity as the unconjugated antibody or antibody fragment and (ii) aqueous solubility, such that the conjugate is suitable for in vivo administration.

EP 173629A

EP 173629B

An antibody-chelator conjugate, comprising: a compatible chelator attached through a covalent bond to an antibody or antibody fragment and capable of coordinate bonding to a metal ion, in which the covalent bond is between an amine of the compatible chelator and an aldehyde group an oxidised carbohydrate moiety of the antibody or antibody fragment, said antibody-chelator conjugate having substantially the same immunoreactivity and immunospecificity as the unconjugated antibody or antibody fragment, and wherein the covalent bond is (i) selectively formed at a site located outside the antigen binding region of the antibody or antibody fragment and (ii) selected from an amine, an enamine, hydrazone, oxime, phenylhydrazone, semicarbazone, thiosemicarbazone and a reduced form thereof.r

US 4741900A

Prepn. of an antibody-chelator conjugate comprises reacting an antibody (fragment) with an oxidising agent to form an aldehyde gp. in the carbonhydrate moiety. The carbohydrate gp. is not part of nor directly involved with an antigen binding site. The aldehyde gp. is reacted with a chelator contg. a prim. amine, hydrazine, hydrazide, hydroxylamine, phenylhydrazine or (thio) semicarbazide gp. to form a water soluble antibody-chelator conjugate.

USE/ADVANTAGE - In therapy and diagnosis. The conjugate has the same immunospecificity as the unconjugated antibody (fragment) and aq. solubility such that when reacted with metal ion, th conjugate is suitable for in vivo admin. The metal ion can be a radioisotope. (22pp)j

CHOSEN-DRAWING: Dwg.0/5

TITLE-TERMS: NEW METAL ANTIBODY COMPLEX FORMING COVALENT CONJUGATE ANTIBODY CHELATE AGENT

DERWENT-CLASS: B04 D16 K08 S03

CPI-CODES: B04-B04C5; B05-A04; B06-A03; B10-A09B; B10-B01B; B10-C02; B12-G07; B12-K04; B12-K0 D05-H09; K09-B; K09-E;

EPI-CODES: S03-E14H4;

CHEMICAL-CODES:

```
Chemical Indexing M1 *01*
    Fragmentation Code
    A331 A349 A383 A421 A425 A426 A427 A764 A960 C710
    C811 G010 G013 G100 H100 H101 H103 H141 H181 H182
    H183 H401 H481 H498 H598 J0 J011 J012 J013 J014
    J172 J173 J271 J3 J331 J341 J371 J372 J373 K431
    K620 K630 K820 K840 L355 L410 L420 L431 L531 L532
    M280 M311 M312 M313 M314 M321 M322 M323 M331 M332
    M342 M343 M344 M349 M373 M381 M383 M391 M392 M393
    M423 M510 M520 M530 M531 M532 M540 M620 M630 M710
    M903 P210 P220 P241 P431 P433 P633 P831 Q233 Q444
    Q504 V600 V611 V743 V901 V912
```

Chemical Indexing M6 *02*
Fragmentation Code
M903 P210 P220 P241 P431 P433 P633 P831 Q233 Q444
Q504 R306 R515 R614 R621 R626 R639

UNLINKED-DERWENT-REGISTRY-NUMBERS: 0793S

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1986-027034 Non-CPI Secondary Accession Numbers: N1986-046423

Previous Doc Next Doc Go to Doc#

☐ L1 mrzochi

0

END OF SEARCH HISTORY

h eb b cg b chh e h f c e h h h h

WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, October 26, 2004

Hide?	Set Name DB=PGPB,	Query USPT; PLUR=YES; OP=OR	Hit Count
	L59	L57 and indicat?	148
	DB=PGPB,	USPT, USOC, EPAB, JPAB, DWPI; PLUR=	YES; OP=OR
	L58	L57 and indicat?	148
	L57	L56 and disease	148
	L56	L55 and mammal	148
	L55	L54 and method	148
	L54	L53 and between	148
	L53	L52 and across	148
	L52	L51 and specific	153
	L51	L50 and substrate	153
	L50	L49 and autoimmune	153
	L49	L47 and conjugate	182
	L48	L47 and cojugate	0
	L47	L46 and metal	188
	L46	L45 and measure	193
	L45	L44 and bound	201
	L44	L43 and antibody	202
	L43	L42 and antigen	202
	L42	L41 and current	207
	L41	L40 and voltage	219
	L40	L39 and IgG	266
	L39	L38 and electrode	675
	L38	immobiliz? and spot	2981
	L37	L34 and coduction	0
	L36	L34 and immoblize	0
	L35	L34 and immobliz?	0
	L34	L33 and assay	5688
	L33	ecl	150951
	L32	merzocci	0
	L31	merzochi	0
	L30	mrazochi	0

h eb bcgb chh eh fc e hh hh

L29	mrzocci	0		
DB=EPAB; PLUR=YES; OP=OR				
L28	WO-8601410-A.did.	0		
DB=USP7	T; PLUR=YES; OP=OR			
L27	US-4741900-A.did.	1		
	B, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YES,	OP = OR		
L26	L23 and electrode	11		
L25	L23 and voltage	9		
L24	L23 and immobilizing	5		
L23	metal-antibody cojugate	72		
	B, USPT; PLUR=YES; OP=OR			
L22	115 and spot	12		
L21	115 and voltage	8		
L20	marzo	249		
L19	marzochi	6		
L18	L15 and 17	2		
L17	L15 and 18	2		
L16	L15 and electrode	10		
L15	metal-antibody cojugate	61		
L14	metal-antibody and cojugate	0		
L13	metal-antibody	2		
L12	L11 and cojugate	1		
L11	L10 and antibody	184		
L10	L8 and metal	213		
L9	L8 and electrode	44		
L8	L7 and toni	725		
L7	scheiner	4192		
DB=PGPE	B, USPT, USOC, EPAB, JPAB, DWPI; PLUR = YES;	QP = OR		
L6	scheiner	4442		
L5	L4 and mrzochi	0		
L4	toni scheiner	9622		
L3	mrzochi	0		
L2	mrzochi	0		
L1	mrzochi	0		

END OF SEARCH HISTORY

h eb b cg b chh eh f c e h h h h

WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, October 26, 2004

e b

b cg b

chh

f c

e

h h

h h

Hide?	Set Name	<u>Query</u>	Hit Count
	DB=PGP	B, USPT; PLUR=YES; OP=OR	
	L75	L74 and autoimmune	25
	L74	L73 and IgG	56
	L73	L72 and immobilize	95
	L72	L71 and disease	263
	L71	L70 and support	384
	L70	L69 and method	426
	L69	L68 and conjugate	426
	L68	L66 and antibod?	911
	L67	L66 and cojugate	1
	L66	L65 and metal	1188
	L65	L64 and conductiv?	1391
	L64	L63 and detection	34207
	L63	L62 and interaction	46836
	L62	protein and ligand	64513
	L61	L49 and scheiner	0
	L60	L59 and scheiner	0
	L59	L57 and indicat?	148
	DB=PGP	B,USPT,USOC,EPAB,JPAB,DWPI; PLU	VR = YES; OP = OR
	L58	L57 and indicat?	148
	L57	L56 and disease	148
	L56	L55 and mammal	148
	L55	L54 and method	148
	L54	L53 and between	148
	L53	L52 and across	148
	L52	L51 and specific	153
	L51	L50 and substrate	153
	L50	L49 and autoimmune	153
	L49	L47 and conjugate	182
	L48	L47 and cojugate	0
	L47	L46 and metal	188
	L46	L45 and measure	193

L45	L44 and bound	201
L44	L43 and antibody	202
L43	L42 and antigen	202
L42	L41 and current	207
L41	L40 and voltage	219
L40	L39 and IgG	266
L39	L38 and electrode	675
L38	immobiliz? and spot	2981
L37	L34 and coduction	0
L36	L34 and immoblize	0
L35	L34 and immobliz?	0
L34	L33 and assay	5688
L33	ecl	150951
L32	merzocci	0
L31	merzochi	0
L30	mrazochi	0
L29	mrzocci	0
DB = EPAE	3; PLUR=YES; OP=OR	
L28	WO-8601410-A.did.	0
DB=USP7	T; PLUR=YES; OP=OR	
L27	US-4741900-A.did.	1
	B, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YE	S: OP = OR
L26	L23 and electrode	11
L25	L23 and voltage	9
L24	L23 and immobilizing	5
L23	metal-antibody cojugate	72
	B, USPT; PLUR=YES; OP=OR	
L22	115 and spot	12
L21	115 and voltage	8
L20	marzo	249
L19	marzochi	6
L18	L15 and 17	2
L17	L15 and 18	2
L16	L15 and electrode	10
L15	metal-antibody cojugate	61
L14	metal-antibody and cojugate	0
L13	metal-antibody	2
L12	L11 and cojugate	1

L11	L10 and antibody	184
L10	L8 and metal	213
L9	L8 and electrode	44
L8	L7 and toni	725
L7	scheiner	4192
DB=PGPE	B, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YES	S: OP = OR
L6	scheiner	4442
L5	L4 and mrzochi	0
L4	toni scheiner	9622
L3	mrzochi	0
L2	mrzochi	0
L1	mrzochi	0

END OF SEARCH HISTORY